

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1-85. (withdrawn).

86. (previously presented): A method of acquiring a processed frame by performing image processing on a desired frame sampled from a video image, said method comprising the steps of:

computing a similarity between said desired frame and at least one frame which is temporally before and one frame which is temporally after said desired frame; and

acquiring said processed frame by obtaining a weighting coefficient whose value increases or decreases in correspondence to a reference level of the similarity, then weighting said at least one frame with said weighting coefficient, and synthesizing said weighted frame and said desired frame.

87. (previously presented): The synthesis method as set forth in claim 86, wherein said desired frame is partitioned into a plurality of areas;  
said similarity is computed for each of corresponding areas in said at least one frame which correspond to said plurality of areas; and

said processed frame is acquired by obtaining weighting coefficients whose values increase or decrease in correspondence to a reference level of the similarity, then weighting said corresponding areas of said at least one frame with said weighting coefficients, and synthesizing said weighted areas and said plurality of areas.

88. (canceled).

89. (previously presented): An image processor for acquiring a processed frame by performing image processing on a desired frame sampled from a video image, said image processor comprising:

similarity computation means for computing a similarity between said desired frame and at least one frame which is temporally before or after said desired frame; and

synthesis means for obtaining a weighting coefficient whose value increases or decreases in correspondence to a reference level of the similarity, then weighting said at least one frame with said weighting coefficient, and synthesizing said weighted frame and said desired frame into said processed frame.

90. (previously presented): The image processor as set forth in claim 89, wherein

said similarity computation means partitions said desired frame into a plurality of areas and computes said similarity for each of corresponding areas in said at least one frame which correspond to said plurality of areas; and

said synthesis means obtains weighting coefficients whose values increase or decrease in correspondence to a reference level of the similarity, then weights said corresponding areas of said at least one frame with said weighting coefficients, and synthesizes said weighted areas and said plurality of areas into said processed frame.

91. (canceled).

92. (currently amended): A computer readable medium storing a computer program which, when executed by a computer processor, causes the computer processor to perform A computer program comprising a program code stored on a storage medium which can be read by a computer, for causing a computer to execute an image processing method of acquiring a processed frame by performing image processing on a desired frame sampled from a video image, said program code the method comprising:  
a similarity computation procedure of computing a similarity between said desired frame and at least one frame which is temporally before and one frame which is temporally after said desired frame; and

~~a synthesis process of obtaining a weighting coefficient whose value increases or~~  
decreases in correspondence to a reference level of the similarity, then weighting said at least one  
frame with said weighting coefficient, and synthesizing said weighted frame and said desired  
frame into said processed frame.

93. (currently amended): The computer ~~program~~ readable medium as set forth in claim  
92, wherein

~~said similarity computation procedure~~ computing a similarity between said desired frame  
and at least one frame which is temporally before and one frame which is temporally after said  
desired frame comprises ~~a procedure of partitioning said desired frame into a plurality of areas~~  
and ~~a procedure of computing said similarity for each of corresponding areas in said at least one~~  
frame which correspond to said plurality of areas; and

~~said synthesis procedure is a procedure of obtaining a weighting coefficient whose value~~  
increases or decreases in correspondence to a reference level of the similarity, then weighting  
said at least one frame with said weighting coefficient, and synthesizing said weighted frame and  
said desired frame into said processed frame comprises obtaining weighting coefficients whose  
values increase or decrease in correspondence to a reference level of the similarity, then  
weighting said corresponding areas of said at least one frame with said weighting coefficients,  
and synthesizing said weighted areas and said plurality of areas into said processed frame.

94. (canceled).

95. (previously presented): The synthesis method as set forth in claim 87, wherein a motion vector is computed for each area of said plurality of areas;

said areas are grouped into a plurality of subject areas based on said motion vector of each area of said plurality of areas;

said similarity is computed for each of corresponding subject areas in said at least one frame which correspond to said plurality of subject areas; and

said processed frame is acquired by obtaining weighting coefficients whose values increase or decrease in correspondence to a reference level of the similarity, then weighting said corresponding subject areas of said at least one frame with said weighting coefficients, and synthesizing said weighted subject areas and said plurality of subject areas.

96. (previously presented): The image processor as set forth in claim 90, wherein

a moving vector computation means computes a moving vector for each area of said plurality of areas;

said similarity computation means groups said areas into a plurality of subject areas based on said motion vector of each area of said plurality of areas, and computes said similarity for each of corresponding subject areas in said at least one frame which correspond to said plurality of subject areas; and

said synthesis means obtains weighting coefficients whose values increase or decrease in correspondence to a reference level of the similarity, then weights said corresponding subject areas of said at least one frame with said weighting coefficients, and synthesizes said weighted subject areas and said plurality of subject areas into said processed frame.

97. (currently amended): The computer ~~program~~readable medium as set forth in claim 93, further comprising ~~a moving vector computation procedure~~ for computing a moving vector for each area of said plurality of areas; wherein

~~said similarity computation procedure~~computing a similarity between said desired frame and at least one frame which is temporally before and one frame which is temporally after said desired frame comprises ~~a procedure of~~ grouping said areas into a plurality of subject areas based on said motion vector of each area of said plurality of areas, and ~~a procedure of~~ computing said similarity for each of corresponding subject areas in said at least one frame which correspond to said plurality of subject areas; and

~~said synthesis procedure is a procedure of~~obtaining a weighting coefficient whose value increases or decreases in correspondence to a reference level of the similarity, then weighting said at least one frame with said weighting coefficient, and synthesizing said weighted frame and said desired frame into said processed frame comprises obtaining weighting coefficients whose values increase or decrease in correspondence to a reference level of the similarity, then weighting said corresponding subject areas of said at least one frame with said weighting

coefficients, and synthesizing said weighted subject areas and said plurality of subject areas into said processed frame.

98. (previously presented): The image processor as set forth in claim 89, further comprising:

similarity computation means for computing a similarity between said desired frame and at least one frame which is temporally before and one frame which is temporally after said desired frame; and

synthesis means for obtaining a weighting coefficient whose value increases or decreases in correspondence to a reference level of the similarity, then weighting said at least one frame with said weighting coefficient, and synthesizing said weighted frame and said desired frame into said processed frame.